CORNHILL NURSERY Childcare Risk Assessment 4/9/20

Updated 13/11/2 23/2/21, 7/5/21

Code CR 1	Infection prevention and	control		
Definition	,			
Potential Impact	Causes	Control Effectiveness		Current Risk
		Control	Control Assessment	Assessment
 Spread of infection Increase in number of individuals who have contracted coronavirus 	Pandemic of Coronavirus Lack of adequate hygiene Lack of knowledge/conflicting information of how to respond to the virus and manage the physical environment	The response to the coronavirus COVID-19 outbreak is complex and fast moving. Relevant websites will be checked daily and advice will be adapted accordingly. Staff should follow good infection control guidance (Infection Prevention and Control in Childcare Settings (Day Care and Childminding Settings) and put in place the guidance from Health Protection	PT/SEYP responsibility to share any updates with all staff. PT/SEYP responsibility to ensure all staff following guidance at all times.	Low
		Handwashing procedure posters should be displayed in areas where handwashing takes place.	Posters displayed in all toilet/sink areas.	

	II staff and children to sanitise hands efore entering/exiting the setting.	Member of staff at drop off ensuring children use sanitising facilities on entering the building.	
Н	andwashing built into daily routine.	Handwashing will take place for all children after they have got changed.	
		Children to sanitize their clean hands before exiting the building at home time.	
		Handwashing will take place before and after snack, after toileting, after outdoor play, after using playdough/sand/water.	Low
in C	Where tissues are used, bin mmediately, then wash hands. ough/sneeze directed to crook in lbow.	Staff to ensure handwashing takes place if child has sneezed coughed into hands. Surfaces to be wiped.	
1	hildren should be supervised and upported to follow guidance.	Adults will be present during handwashing times.	
re	rovide additional supplies of esources including tissues, soap and and sanitiser	Nursery staff responsible for stock checks and ordering.	
R	igorous cleaning procedures to be arried out between sessions and at nd of day.	Thorough cleaning routine set up and checklist for staff to complete daily. Copies to be kept as evidence.	

Staff hair tied back where appropriate and clothes changed daily.	Staff responsible themselves for this, but monitored by SEYPs	LOW
Social distancing and good hygiene practice MUST be adhered to.	Ensure social distancing in place between staff at all times in the nursery and in the outdoor area.	
Minimise physical contact with other person – e.g. no hand shaking.	Ensure 2m distance between parents at drop off/pick up times.	
	Ensure 2m distance between parents and staff at drop off/pick up times. Staff can be in closer contact with the children – especially if they require comforting/changing, but this should not be for extended periods of time. Nursery children are no longer expected to be 2m apart.	LOW
Consideration given to emergency evacuation procedures/ fire drill & muster point.	Staff are aware of fire procedures and muster points, but must remain 2m apart I from other adults during such situations.	LOW
Avoid non-essential use of public transport.	Staff encouraged to walk or drive alone to l work. Where this is not possible and public transport must be used, staff must	.ow

wear a face covering and adhere to 2m social distancing. Minimise contact with surfaces where possible, e.g. tables, furniture. Ensure regular cleaning of frequently touched surfaces by children and staff. Staff must clean phones/laptops etc after use. (Part of Janitor's daily remit too)
Avoid touching eyes, nose and mouth with unwashed hands. Staff/children MUST wash/sanitise hands promptly if they have touched their face etc.
Do not share items that come into contact with your mouth such as cups & bottles. Staff will not share crockery or utensils etc. Staff will take their own dishes/cutlery etc to school for lunch.
If unwell do not share items such as dishes, pencils & towels No sharing of dishes permitted. Staff to use own pencils/pens unless wiped with antibacterial wipe afterwards. If unwell, assess whether child/staff member needs to go home.
Children ;

Good hygiene practices carried out -	Sanitise hands on entering the nursery,	
regular hand washing by all staff and	wash hands after getting changed into	Low
service users.	indoor clothing, wash hands before and	
	after snack, after toileting, after use of	
	playdough/sand/water etc.	
	Sanitise before outdoor play, and wash	
	after outdoor play. Use of sanitiser on	
	exiting the nursery.	
	Staff;	
Wash hands for at least 20	Sanitise hands on entering the school	
seconds/sanitise:	building, follow handwashing procedure	Low
- Before leaving home	on arrival in nursery, wash hands/sanitise	
- On arriving at work or other	frequently throughout the day, especially	
premises	before and after snack, toileting, medical	
- After using the toilet	dealings.	
- Before/After food preparation		
- Before/After eating any food,		
including snacks		
- Before leaving work		
- On arrival at home		Low
	To be monitored by SEYPs	
Fresh clothes to be worn everyday.		
	Children and adults to wear a fresh set of	
	clothes every day. Clothes should not be	
	worn 2 days in a row unless washed at	
	night.	Low
	To be monitored by SEYPs	
Handwashing posters displayed in	Displayed in all nurseries in appropriate	
workplaces.	areas.	

	Nivershaue of obligation of evitors // constitution	No longon no cocomuse electricis	
		No longer necessary as class size has	
	limited in each area.	been capped at <mark>33</mark> max for now.	
		Nursery will have a rigorous clean	
		between AM and PM session.	
		Resources will either be separate for each	
		session, OR if to be used for both, will be	
		thoroughly cleaned inbetween.	Low
		All resources will get cleaned at	
		lunchtime regardless.	
		Fewer resources on offer	
		indoors/outdoors.	
		Only easily wiped resources being used.	
		No soft furnishings or teddies etc.	
	Good use should be made of the	Staff to plan for as much outdoor play as	
	outdoor areas to support social	possible. When children are more settled	
	distancing.	back into the routine, encourage	
	_	free-flow play between indoors and	
		outdoors.	Low
		Inductions with parents and new children	
		to take place outside.	
		Waterproofs for staff and children now	
		ordered and available for use.	
		ordered and available for use.	

		
	Parents to provide waterproof clothing if possible. Mud kitchen resources and cute areas to	
	be cleaned thoroughly before and after use.	
	Natural resources do not require to be sprayed.	
	Register of children recorded daily - sign	
	in book.	
not attend, in line with usual		
procedures.	Children/staff who are unwell advised to	
Information from Health Protection	stay at home.	
Scotland states that the virus presents		
as a fever, cough, loss or change taste	A3 flow chart of test and protect	
or smell. Staff and children who	procedures displayed in nursery and on	Low
develop symptoms consistent with	school website.	
COVID-19 must follow the Test and		
	Ensure staff/parents are aware of Test	
, , , , , ,	and Protect Procedure.	
contacting the NHS for advice on		
	Note made if COVID advice has had to be	
COVID-19 will be asked to continue to	<u> </u>	
1 1 1	aware.	
contacts, identified through contact		
tracing, will be asked to self-isolate for		
14 days.	noted in PT records.	

	Care Inspectorate to informed every Tuesday of Staff and Child absences.
	Thermometer purchased to check children's temperatures if need be.
In line with procedures and guida only allow staff and children in go health to be in nursery provision.	, ,
>Where children/ staff have a fev cough, loss or change of taste or sthey should remain at home and follow the Test and Protect guidares in Section and control guidelines section coordinator to ensure	er SEYP/EYP to refer to flowchart. smell must
effective staffing ratio & cover at short notice >All staff to be ACC employees win PVGs and references obtained at to of recruitment	
Follow procedures to remove from setting where someone becomes unwell - NHS guidance followed at all tim	- Emergency contacts informed immediately and reminded of Test and

	Facilities informed and deep clean carried out	
- Emergency contact list accessible and up to date	Check emergency contact regularly for any updates.	
Children should sit 2m apart at meals and snack times and where ever possible.	No longer necessary as not expected to have 2m distancing between ELC children, but staff will be super vigilant of children's hygiene practises during snack time.	Low
At pick up time children will be brought to entrance when parent arrives, by a member of staff to reduce risk of infection.	Ensure all staff and parents are aware of and are following the COVID drop off/pick up procedures correctly.	Low
No visitors, parents, carers beyond front door.	No parents in building at present. Visitors now able to come into school providing they are adding to the support of the child. RA's to be sent to visitors. Visitors allowed in 2 settings per week but not on same day.	
	Social distancing adhered to between all adults.	

	Only nursery staff to use sign in book. (Parents will no longer write in the book themselves)	
Increase cleaning frequency of frequently touched surfaces and	Cleaning rota established and signed.	Low
before and after meals and snacks	Staff to use wipes after using phone, computer, switches etc.	
	Sinks to be cleaned after use and children to be supervised in toilet area.	
Isolation area within the building identified in case of any individuals who present as unwell during the session.	All staff aware of area in SFL room.	
Request for immediate collection by parents/carers.	All emergency contacts up to date.	Low
Area identified which can be supervised to avoid unnecessary distress to a child/ young person	Staff to supervise child, socially distanced, until parent appears.	
>Clear information about individual circumstances and meeting needs from current records on SEEMIS	PT has carried out Google MEETS with some health professionals and staff from previous nurseries.	Low
	All staff aware of allergies, how they present and how they are treated	Low

1	T	
	(See indoor kitchen cupboard N1/2 and	
	kitchen area N3).	
	Person who snack allergy sheet must be	
	the person who distributes snack.	
	Must be checked by another member of	
>Meetings with individual parents at	staff and signed by SEYP.	
initial registration to ensure relevant,		
timely, accurate information is shared		
	All staff first aid trained.	
	Returner parents have been	
>Named child protection officer in	called/emailed for any care plan updates	
place for each setting	and this has been recorded on the plan.	
>First aiders on site at all times		
>ACC policies adhered to at all times	New parents/children will have outdoor	
	induction.	
	Staff aware of Named person : HT for	
	school, Health Visitors for Nursery	
	children.	
	First Aider and Child Protection Lead	
	displayed on entry to building and in the	
	areas used.	
Guidelines for food hygiene followed	Cleaning schedules/routines recorded.	
at meal and snack times:		
>Increased awareness of infection	Staff extra vigilant with hygiene/cleaning	Low
control procedures	measures.	

	evacuation procedures/ fire drill &	Fire muster points known by all adults and children – same as before COVID, but adults 2m distanced.	Low
	to.	Ensure 2 windows are open in clas, plus the door (staff to assess safety element) Staff to follow Flowchart print outs displayed in nursery.	
		Staff to follow PPE guidance - putting on and removing PPE - posters displayed in nursery.	
		In communal areas, as part of PPE, where a 2m distance cannot be maintained between adults and if in close proximity with children for an extended period.	
	Staff can opt to take part in ELC asymptomatic self test procedures	Twice weekly lateral flow tests carried out - Wed am and Sunday pm	

Code	CR 2	Risk of staff becoming ill resulting in staffing levels fall below level required to deliver the service				
Definition		1				
Potential Impact		Causes	Control Effectiveness		Current Risk	
			Control	Control Assessment	Assessment	
Staffing levels fall and i	not enough to					
cover running of service	e.	Pandemic of	All Health and Safety guidelines always	All staff aware of		
		Coronavirus -	adhered to for prevention of infection.	procedures. SEYP to	Low	
		Despite all guidance		monitor.		
		being followed				
		rigorously regarding				
	_	infection control and				

maintaining very good levels of hygiene, coronavirus is highly contagious.	Infection prevention and control guidelines adhered to vigilantly, to minimise and prevent spread.	All staff aware of procedures. SEYP to monitor.	Low
	Coordinator assigned to ensure relief staff are available to cover at short notice. Safer recruitment practice consistently followed, and all staff will be existing	Locality Lead/PT. Cover harder to find now though due to being allocated to school and only	
	employees of ACC with PVGs and reference	being allowed to	Low
	If required, new staff recruited will undergo all necessary checks as detailed in ACC Recruitment policy and guidance. PVG's in place		
	In line with procedures and guidance, only allow staff and children in good health to be in nursery provision. - Where children/ staff feel unwell they should remain at home.	Unwell children will be advised to stay at home.	Material
		Anyone who becomes unwell during session will be sent home if necessary.	

- Assign coordinator to ensure effective staffing ratio & cover at short notice	PT/SEYPs	
All staff to be ACC employees with PVGs and references obtained at time of recruitment	Locality Lead/PT	

Code	CR 3	Child/staff member presenting with symptoms within provision			
Definition					
Potential Impact		Causes	Control Effectiveness		Current Risk
			Control	Control Assessment	Assessment
Child/staff member pre	senting with	Pandemic of			
symptoms, spread of in	fection	Coronavirus -	NHS guidance followed at all times	Updated and shared	
		Despite all guidance		by PT/SEYPs when	Low
Inappropriate media re	porting	being followed		required	
		rigorously regarding			
		infection control and			
		maintaining very	A space identified for self-isolation ir	Flow chart followed	
		good levels of	each setting.	and person taken to]

• =	during session to leave premises asap	SFL room as soon as presenting with symptoms.	Low
	Emergency contacts informed	Have at least 2 emergency contacts - Contact immediately.	
		Emergency contacts to be kept up to date.	Low
	ACC Facilities Team to be informed and deep clean carried out.	PT to contact	

Code		Staff are working with NEW admission children who they may still not know very well, with the risk that individual children's needs are not fully met.				
Definition						
Potential Impact	tial Impact Causes Control Effectiveness				Current Risk	
			Control	Control Assessment	Assessment	
Staff are not fully know child's individual needs		Coronavirus	individual circumstances and how to meet children's needs from current records from SEEMIS (if pre-schoolers)	Info gathered at induction meeting and/or MEET with previous setting/involved professionals.	Low	

A child's needs are not adequately met.	staff to respond to			
A child may feel upset, worried or	the pandemic.	Meetings with individual parents at initial	All info recorded on	
anxious	Information is not	registration to ensure relevant,	Care Plan and shared	Low
	gathered and shared	appropriate information is passed on and	with all members of	
	correctly	shared with staff in a timely manner	staff.	
		(Care Plan)		
		Emergency contacts double checked due to current situation	2 contacts have been acquired.	
		Staff with relevant training in place to	Every session	
				Low
			trained member of staff.	
			All staff First Aid	
		appropriate ratios.	training up to date.	
		All ACC policies adhered to at all times	Staff to refresh	
		· ·	knowledge of any	
			policies they might	
			be unsure of.	

Code		Children with dietary needs, allergies or cultural preferences consume food that is unsuitable for them.			
Definition		I			
Potential Impact		Causes	Control Effectiveness		Current Risk
			Control	Control Assessment	Assessment
Children eat food that them and causes them Increased risk of infect consuming food when not been followed - ha	to be unwell. ion through good hygiene has ndwashing	information being gathered to inform		Important information gathered at induction. Clear allergy information displayed in kitchen	Low

rigorously applied by

consumers.

areas.N1/2

kitchen wall

cupboard/N3 – low

Low

Pander	nic of	Daily snack sheet to	
Corona		be completed fro	
		children with food	
Despite	e all guidance	intolerances/allergie	
·	ollowed	s and will be counter	
-	isly regarding	signed by another	
-	on control and	adult.	
mainta	ining very		Low
	evels of Children will be supervised with	Staff to monitor	
hygiene		handwashing at all	
' '	virus is highly good hygiene.	times.	
contagi	ous.		
	Staff working directly with children will	Staff must check	
	have a source of reference (kitchen	allergy advice prior	
	cupboard area) to check food needs pric	r to preparing/serving	
	to snacktimes.	snack & have sheet	
		counter signed.	
	Staff follow infection control procedures		
	rigorously.	SEYPS to monitor	